

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER

Trade name: **BIOTOOLS HighScriptools-Quantimix Easy Master Mix**

Product Number: 10.611 – 10.612

Chemical Name: Not Applicable

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST.

Relevant identified uses: For research use only. Not for use in diagnostic procedures.

Uses advised against: Not for consumer use

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET.

Manufacturer / Supplier

Company: Biotoools, B & M Labs, S.A.

Valle de Tobalina – 52 – Nave 39

28021 Madrid

SPAIN

Tel: +34 91 710 00 74

Fax: +34 91 505 31 18

1.4 EMERGENCY NUMBER

Please contact Biotoools distributor in your country. Spain only: 91 562 04 20

2. HAZARDS IDENTIFICATION

Primary routes of entry

Skin or eye contact from splashes.

Ingestion

Harmful if swallowed. May cause irritation to the gastrointestinal tract.

Skin contact

May cause irritation

Eye contact

Irritating

Evidence for reproductive toxicity, carcinogenicity and mutagenicity

No data available

2.1 CLASSIFICATION OF THE MIXTURE

Hazard Ingredients	
Hydrochloric acid	Corrosive to Metals (Category 1), H290 Skin corrosion (Sub-category 1B), H314
REGULATION (EC) No 1272/2008	Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335
DL-Dithiothreitol	Acute toxicity, Oral (Category 4), H302 Long-term (chronic) aquatic hazard (Category 3), H412
REGULATION (EC) No 1272/2008	

2.2 LABEL ELEMENTS

Label elements

Hazard pictograms

None

Signal Word

None

Hazard Statements

Not Applicable

EU Specific Hazard Statements

Not Applicable

Precautionary Statements

Prevention

Not Applicable

Response

Not Applicable

Storage

Not Applicable

Disposal

Not Applicable

2.3 OTHER HAZARDS

None known

3.COMPOSITION OF THE PRODUCT/INFORMATION ON INGREDIENTS




3.1 SUBSTANCE

Not applicable

3.2 MIXTURE

Chemical characterisation: Solutions in buffer. Volume of each product package varies: 0.5µl – 1.4ml.

Active ingredients:

CAS-No	EC no	Name	Contents	Danger ¹	Risks
56-81-5	200-289-5	Glycerol	>1%	None	None
77-86-1	201-064-4	Trizma base	≥0.1%	None	None
7447-40-7	231-211-8	Potassium chloride	>0.1%	None	None
163795-75-3		SYBR® GREEN	≥0.1%	None	None
107-43-7	203-490-6	Betaine	≥5%	None	None
7647-01-0	231-595-7	Hydrochloric acid	≥0.1%	 	Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; H290, H314, H318, H335 Concentration limits: ≥= 0,1 %: Met. Corr. 1, H290; ≥= 25 %: Skin Corr. 1B, H314; 10 - < 25 %: Skin Irrit. 2, H315; 10 - < 25 %: Eye Irrit. 2, H319; ≥= 10 %: STOT SE 3, H335;
3483-12-3	222-468-7	DL-Dithiothreitol	0.1%		Acute Tox. 4; Aquatic Chronic 3; H302, H412



*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

4. FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

Skin contact

Wash skin with water and soap and rinse thoroughly. Remove contaminated clothing and shoes. Cover the irritated skin with an emollient. Wash clothing before reuse. Get medical attention.

Eye contact

Rinse opened eyes for at least 15 min with copious amounts of water. Check for and remove any contact lenses. Call a ophthalmologist.

Ingestion

Caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

Inhalation

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Irritation and corrosion
Vomiting, Dermatitis
Drying-out effect resulting in rough and chapped skin
Risk of corneal clouding
Risk of serious damage to eyes

4.3 INDICATION OF ANY IMMEDIATE ATTENTION AND SPECIAL TREATMENT NEEDED

No information available

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO₂), Dry powder.

Unsuitable extinguishing media

For this mixture no limitations of extinguishing agents are given.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Hydrogen chloride gas
Carbon oxides, Sulphur oxides
Combustible.

5.3 ADVICE FOR FIREFIGHTERS

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Advice for non-emergency personnel:

Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 ENVIRONMENTAL PRECAUTIONS

Do not let product enter drains.

Prevent further leakage or spillage if safe to do so

Discharge into the environment must be avoided

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area. Pick up and arrange disposal without creating dust.

6.4 REFERENCE TO OTHER SECTIONS

Indications about waste treatment see section 13.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage conditions:

Tightly closed.

Recommended storage temperature see product label

7.3 SPECIFIC END USE(S)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

8.2 EXPOSURE CONTROLS

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities

of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Use equipment for eye protection tested and approved under appropriate government standards

Hand protection

full contact:

Glove material: butyl-rubber
Glove thickness: 0,7 mm
Break through time: > 480 min

splash contact:

Glove material:butyl-rubber
Glove thickness:0,7 mm
Break through time:> 480 min

Other protective equipment

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

Prevent further leakage or spillage if safe to do so

Discharge into the environment must be avoided

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid

Colour: Colorless

Odour: Odorless

Boiling point: no data available.

Flash point: no data available

Explosive properties: no data available

Vapor pressure: no data available

pH: 7-9

9.2 OTHER DATA

No information available

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

No data available

10.2 CHEMICAL STABILITY

Stable under normal handling and storage conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No data available

10.4 CONDITIONS TO AVOID

No data available

10.5 INCOMPATIBLE MATERIALS

Bases, Amines, Alkali metals, Metals, permanganates, for example potassium permanganate, Fluorine, metal acetylides, hexalithium disilicide Metals

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

In the event of fire: See section 5.

11. TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Glycerol

Acute toxicity

LD50 Oral - Rat - 27.200 mg/kg

Remarks: (ECHA)

LD50 Dermal - Rabbit - > 10.000 mg/kg

Remarks: (External MSDS)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Trizma base

Acute toxicity

LD50 Oral - Rat - female - > 5.000 mg/kg

(OECD Test Guideline 425)

LD50 Dermal - Rat - male and female - > 5.000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster lung cells

Result: negative

In vitro mammalian cell gene mutation test

Chinese hamster ovary cells

Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Potassium chloride

Acute toxicity

LD50 Oral - Rat - female - 3.020 mg/kg

Remarks:

(ECHA)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Ames test

Salmonella typhimurium

Result: negative

Remarks:

(ECHA)

In vitro mammalian cell gene mutation test

mouse lymphoma cells

Result: negative

Remarks:

(ECHA)

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster lung cells

Result: positive

Remarks:

(ECHA)

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Betaine

Acute toxicity

LD50 Oral - Rat - male and female - 11.179 mg/kg

(OECD Test Guideline 401)

LD50 Intravenous - Mouse - 830 mg/kg

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

Respiratory or skin sensitisation

Maximisation Test - Guinea pig

Result: Does not cause skin sensitisation.

(OECD Test Guideline 406)

Germ cell mutagenicity

Salmonella typhimurium

Result: negative

OECD Test Guideline 474

Mouse - male and female

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Sybr ® Green

Germ cell mutagenicity

S. typhimurium

Result: This material has shown a positive Ames test, an in vitro test that indicates a possible potential to produce a carcinogenic effect.

Information refers to the main component.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Hydrochloric acid

Acute toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

No data available

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:., damage of respiratory tract

Inhalation: Cough Difficulty in breathing (Hydrochloric Acid)

Inhalation: absorption (Hydrochloric Acid)

Symptoms: mucosal irritations, Cough, Shortness of breath, Inhalation may lead to the formation of oedemas in the respiratory tract., Possible damages:., damage of respiratory tract, tissue damage

Skin corrosion/irritation

Mixture causes burns.

Skin - reconstructed human epidermis (RhE) (Hydrochloric Acid)

Result: Corrosive

(OECD Test Guideline 431)

Serious eye damage/eye irritation

Mixture causes serious eye damage. Risk of blindness!

Eyes - Bovine cornea (Hydrochloric Acid)

Result: Corrosive

(OECD Test Guideline 437)

Respiratory or skin sensitization

Maximization Test - Guinea pig (Hydrochloric Acid)

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Chromosome aberration test in vitro (Hydrochloric Acid)

Chinese hamster ovary cells

Result: Conflicting results have been seen in different studies.

Carcinogenicity

Carcinogenicity - Did not show carcinogenic effects in animal experiments. (IUCLID)
(Hydrochloric Acid)

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Inhalation may lead to the formation of oedemas in the respiratory tract., Possible damages:, damage of respiratory tract, tissue damage (Hydrochloric Acid)

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification (Hydrochloric Acid)

DL-Dithiothreitol

Acute toxicity

LD50 Oral - Rat - 400 mg/kg

Remarks: (External MSDS)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Additional Information

RTECS: EK1610000

Nausea, Headache, Vomiting, Central nervous system depression, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

11.2 FURTHER INFORMATION

After absorption:

We have no description of any symptoms of toxicity.

Other dangerous properties cannot be excluded.

Handle in accordance with good industrial hygiene and safety practice

12. ECOLOGICAL INFORMATION

12.1 TOXICITY

Glycerol

Toxicity to fish

static test LC50 - Oncorhynchus mykiss (rainbow trout) - 54.000

mg/l - 96 h

Remarks: (ECHA)

Trizma base

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 980 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to bacteria

static test EC50 - activated sludge - > 1.000 mg/l - 3 h

(OECD Test Guideline 209)

Betaine

Toxicity to daphnia and other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 4.335 mg/l -

48 h

(OECD Test Guideline 202)

Toxicity to algae

Growth inhibition EC50 - Desmodesmus subspicatus (green algae) -

1.199 mg/l - 72 h

(OECD Test Guideline 201)

Potassium Chloride

Toxicity to fish

static test LC50 - Pimephales promelas (fathead minnow) - 880 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 440 - 880 mg/l - 48h

(OECD Test Guideline 202)

Toxicity to algae

static test ErC50 - Desmodesmus subspicatus (green algae) - > 100mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

static test EC50 - activated sludge - > 1.000 mg/l - 3 h

(OECD Test Guideline 209)

Hydrochloric Acid

Toxicity to fish

LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l - 96 h

Remarks: (IUCLID)

DL-Dithiothreitol

Toxicity to daphnia and other aquatic invertebrates
static test EC50 - Daphnia magna (Water flea) - 27 mg/l - 48 h
Remarks: (ECOTOX Database)

12.2 PERSISTENCE AND DEGRADABILITY

No data available

12.3 BIOACCUMULATIVE POTENTIAL

No data available

12.4 MOBILITY IN SOIL

No information available.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not Conducted.

12.6 OTHER ADVERSE EFFECTS

Hydrochloric Acid

May be harmful to aquatic organisms due to the shift of the pH. Do not empty into drains.

Harmful effect due to pH shift.

Discharge into the environment must be avoided.

13. DISPOSAL CONSIDERATIONS

Controlled disposal in waste system. Product disposal (leftovers or residues resulting from normal use) does not pose any serious hazards in the adequate proportion.

The product and packaging should be disposed of in accordance with the instructions of the local authorities.

14. TRANSPORT INFORMATION

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Further information

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

15.2 CHEMICAL SAFETY ASSESMENT

For this product a chemical safety assessment was not carried out.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

**H290 MAY BE CORROSIVE TO METALS.
H302 HARMFUL IF SWALLOWED
H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE
H315 CAUSES SKIN IRRITATION.
H318 CAUSES SERIOUS EYE DAMAGE.
H319 CAUSES SERIOUS EYE IRRITATION.
H335 MAY CAUSE RESPIRATORY IRRITATION.
H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.**

Training advice

Provide adequate information, instruction and training for operators.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge, and is applicable to the product with regards to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Biotoools, B & M Labs, S.A. shall not be held liable for any damage resulting from handling or from contact with the above product.

© Biotoools, B & M Labs, S.A. License granted to make unlimited paper copies for internal use only.

DISCLAIMER

For Research Use Only