

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

SPEEDTOOLS TISSUE Edition: 05 Page: 1/13 Date Updated: 23/04/2021 DNA EXTRACTION KIT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

21.136 - 21.137 REF

SPEEDTOOLS TISSUE DNA EXTRACTION KIT Product name

REACH Registration number(s): see SECTION 3.1/3.2 or

A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 15 mL BB3 1 x 12 mL BB5 1 x 13 mL BBE 1 x 30 mL BBW

1 x 1.8 mL Proteinase B (PB) 1 x 1-75 mg Proteinase K (Iyo)

1 x 20 mL BT1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Biotools, B & M Labs, S.A Valle de Tobalina - 52 - Nave 39 28021 Madrid **SPAIN**

Tel: +34 91 710 00 74 Fax:+34 91 505 31 18

1.4 **Emergency telephone number**

Please contact Biotools distributor in your country. Spain only: 91 562 04 20

SECTION 2: Hazard identification

2.0 Classification of the complete product







Signal word **DANGER**

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H334	Resp. Sens. 1
H336, H335	STOT SE 3

2.1 Classification of the substance or mixture

15 mL BB3



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Edition: 05 SPEEDTOOLS TISSUE Page: 2/13
Date Updated: 23/04/2021 DNA EXTRACTION KIT



GHS07

Signal word WARNING

Hazard identification Hazard classes/categories

H302 Acute Tox. 4 oral H319 Eye Irrit. 2

12 mL BB5

Do not need labelling as hazardous

Signal word

No hazard class

13 mL BBE

Do not need labelling as hazardous

Signal word

No hazard class

30 mL BBW



3HS02

302 GHS0

Signal word WARNING

Hazard identificationHazard classes/categoriesH226Flam. Liq. 3H302Acute Tox. 4 oral

H302 Acute Tox. 4 oral H319 Eye Irrit. 2 H336, H335 STOT SE 3

1.8 mL PB

H334

Do not need labelling as hazardous

Signal word

No hazard class

1-75 mg Proteinase K (Iyo)





GHS07

Resp. Sens. 1

Signal word DANGER

Hazard identification Hazard classes/categories
H315 Skin Irrit. 2
H319 Eye Irrit. 2



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Edition: 05 SPEEDTOOLS TISSUE Page: 3/13
Date Updated: 23/04/2021 DNA EXTRACTION KIT

20 mL BT1

Do not need labelling as hazardous

Signal word

No hazard class

2.2 Label elements

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. The irritant hazard should be eliminated, because of buffer chemicals inside.

15 mL BB3



GHS07

Signal word: WARNING

12 mL BB5

Do not need labelling as hazardous Signal word: -

13 mL BBE

Do not need labelling as hazardous Signal word: -

30 mL BBW





GHS02

GHS07

Signal word: WARNING

1.8 mL PB

Do not need labelling as hazardous Signal word: -

1-75 mg Proteinase K (Iyo)





GHS07

GHS08

Signal word: DANGER

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P342+311

Avoid breathing dust/vapours. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Edition: 05 SPEEDTOOLS TISSUE Page: 4/13
Date Updated: 23/04/2021 DNA EXTRACTION KIT

20 mL BT1

Do not need labelling as hazardous Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. ---

Information pertaining to particular risks to human and possible symptoms

Cause after oral intake, impairments of health when ingested in small quantities.

Kit contains small amounts of enzymes: May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

Information pertaining to particular risks to the environment

PBT: not applicable vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

15 mL BB3

Chemical: guanidine hydrochloride CAS No.: 50-01-1

Classification: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

Formula: CH₆ ClN₃

Pseudonym: guanidinium chloride

TSCA Inventory: listed

REACH Reg. No.: 01-2119977063-35-0005

EC No.: 200-002-3 Indice No.: 607-148-00-0 RTECS: MF4300000 MFCD: 00013026

KE No.: KE-18111

Concentration: 36 - <50 % acc. CLP (GHS): H302, Acute Tox. 4 oral, H319, Eye Irrit. 2

Chemical: polyoxyethylene sorbitan monolaurate (Tween® 20) CAS No.: 9005-64-5

Classification: No criteria for classification or naming of chemical not required.

Formula: C₅₈ H₁₁₄ O₂₆

Pseudonym: Sorbitan, monododecanoate, poly(oxy-1,2-ethanediyl) derivs.

TSCA Inventory: listed

RTECS: TR7400000 MFCD: 00165986

KE No.: KE-31681 Concentration: 10 - <20 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

12 mL BB5

Chemical: chemicals/mixture < 1% CAS No.: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% KE No.: listed Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

13 mL BBE

Chemical: chemicals/mixture < 1% CAS No.: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: all listed, <1% listed
Concentration: 0.1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

30 mL BBW



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Edition: 05 SPEEDTOOLS TISSUE Page: 5/13

Date Updated: 23/04/2021 DNA EXTRACTION KIT

Chemical: guanidine hydrochloride CAS No.: 50-01-1

Classification: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

Formula: CH₆ ClN₃

Pseudonym: guanidinium chloride

TSCA Inventory: listed

REACH Reg. No.: 01-2119977063-35-0005

EC No.: 200-002-3 Indice No.: 607-148-00-0 RTECS: MF4300000 MFCD: 00013026

KE No.: KE-18111 Concentration: 36 - <50 %

acc. CLP (GHS): H302, Acute Tox. 4 oral, H319, Eye Irrit. 2

Chemical: 2-propanol CAS No.: 67-63-0

Classification: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, STOT SE 3

Formula: C₃ H₈ O

Pseudonym: isopropanol, IPA, propan-2-ol

TSCA Inventory: listed

REACH Reg. No.: 01-2119457558-25-XXXX

EC No.: 200-661-7 Indice No.: 603-117-00-0 RTECS: NT8050000 MFCD: 00011674

KE No.: KE-29363 Concentration: 20 - <35 %

acc. CLP (GHS): H226, Flam. Liq. 3, H319, Eye Irrit. 2, H336, STOT SE 3

1.8 mL PB

Chemical: glycerole CAS No.: 56-81-5

Classification: No criteria for classification or naming of chemical not required.

Formula: $C_3 H_8 O_3$

Pseudonym: glycerin, 1,2,3-propanetriol TSCA Inventory: listed (1,2,3-Propanetriol) REACH Reg. No.: 01-2119471987-18-xxxx

EC No.: 200-289-5 Indice No.: n/a RTECS: MA8050000 MFCD: 00004722

KE No.: KE-29297 Concentration: 10 - <50 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

1-75 mg Proteinase K (Iyo)

Chemical: proteinase K (origin: tritirachium album) CAS No.: 39450-01-6

Classification: H315, Skin Irrit. 2, H319, Eye Irrit. 2, H334, Resp. Sens. 1

Formula: Enzyme Comm. No. 3.4.21.64, origin: tritirachium album

TSCA Inventory: listed (CAS 102925-54-2)

EC No.: 254-457-8 Indice No.: 647-014-00-9 RTECS: - MFCD: 00132129

KE No.: not listed Concentration: 90 - <100 %

acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2, H334, Resp. Sens. 1

20 mL BT1

Chemical: chemicals/mixture < 2% CAS No.: -

Classification: No criteria for classification or naming of chemical not required. TSCA Inventory: all listed, <2%

KE No.: listed
Concentration: 1 - <2 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Edition: 05 SPEEDTOOLS TISSUE Page: 6/13
Date Updated: 23/04/2021 DNA EXTRACTION KIT

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested. ---

4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. ---

4.3 Indication of any immediate medical attention and special treatment needed

Inform patient respectively further measures and the possibility of long-term damages. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Edition: 05 SPEEDTOOLS TISSUE Page: 7/13
Date Updated: 23/04/2021 DNA EXTRACTION KIT

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

7.2 Conditions for safe storage, including any incompatibilities

Storage class (VCI): 3 Water hazard class (DE): 1

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

15 mL BB3

Chemical: guanidine hydrochloride CAS No.: 50-01-1

DNEL: [inh] 3.5 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water):
PNEC = Predicted No Effected Concentration

NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: polyoxyethylene sorbitan monolaurate (Tween® 20) CAS No.: 9005-64-5

12 mL BB5

Chemical: chemicals/mixture < 1% CAS No.: -

13 mL BBE

Chemical: chemicals/mixture < 1% CAS No.: -

30 mL BBW

Chemical: guanidine hydrochloride CAS No.: 50-01-1

DNEL: [inh] 3.5 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC_(fresh water): PNEC = Predicted No Effected Concentration

NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: 2-propanol CAS No.: 67-63-0

DNEL: [inh] 500 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC(fresh water): 140.9 mg/L
PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 500 mg/m³

Short-term exposure factor: 2 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 200 ppm / 500 mg/m³ TRGS 903 (DE): [Aceton B/b, U/b] 25 mg/L

[Aceton B/b, U/b] 25 mg/L B blood, U urine, a no limitation, b end of exposition or shift

NIOSH: [TWA] 400 ppm / 980 mg/m³

NIOSH STEL: 500 ppm / 1225 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 400 ppm / 980 mg/m³



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Edition: 05 SPEEDTOOLS TISSUE Page: 8/13 Date Updated: 23/04/2021

DNA EXTRACTION KIT

1.8 mL PB

CAS No.: 56-81-5 Chemical: glycerole

[inh] 56 mg/m³ DNEL: DNEL = Derived No-Effect Level (for workers) PNEC (fresh water): U.885 IIIg/L
PNEC = Predicted No Effected Concentration

200 E mg/m³ TRGS 900 (DE):

Short-term exposure factor: 2 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 50 e* mg/m3

1-75 mg Proteinase K (Iyo)

CAS No.: 39450-01-6

Chemical: proteinase K (origin: tritirachium album)
SUVA(CH) MAK value: 0,00006_{15min} mg/m³ 0,00006_{15min} mg/m³

20 ml BT1

Chemical: chemicals/mixture < 2% CAS No .: -

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

15 mL BB3

Appearance: liquid Colour: slightly yellow Odor: odorless

3 5-4 1.15 g/cm³ Specific gravity:

12 mL BB5

Appearance: liquid Colour: colourless Odor: odorless

pH: 7-8

Specific gravity: 1.00 g/cm³

13 mL BBE

Odor: odorless Appearance: liquid Colour: colourless

pH: Specific gravity: 1.0 g/cm³

30 mL BBW

Colour: colourless Odor: alcoholic Appearance: liquid

pH: 7-8 25 °C Flash point: Specific gravity: 1.06 g/cm³



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Edition: 05 SPEEDTOOLS TISSUE Page: 9/13

Date Updated: 23/04/2021 DNA EXTRACTION KIT

1.8 mL PB

Appearance: liquid Colour: colourless
Specific gravity: 1.11 g/cm³

ur: colourless Odor: alcoholic

1-75 mg Proteinase K (lyo)

Appearance: solid (lyoph.) Colour: slightly grey Odor: odorless

20 mL BT1

Appearance: liquid Colour: colourless Odor: odorless

pH: 7.5-8.5 Specific gravity: 1.02 g/cm³

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group**

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability

10.3 Possibility of hazardous reactions

Note: Can form very reactive substances with oxidizing agents. No further data available.

10.4 Conditions to avoid

Not necessary. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

15 mL BB3

Chemical: guanidine hydrochloride CAS No.: 50-01-1

TSCA Inventory: listed California Proposition 65 List: not listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

 Japan ISHL:
 not listed

 South Korea TCCA:
 not listed

 Korea Exist.Chem.Inventory:
 KE-18111

 LD50_{orl rat}:
 475-907 mg/kg

 LC50_{ihl rat}:
 [4h] 3181-7655 μg/m³

 LD50_{drm rbt}:
 2000 mg/kg

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

Chemical: polyoxyethylene sorbitan monolaurate (Tween® 20) CAS No.: 9005-64-5

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-31681

12 mL BB5

Chemical: chemicals/mixture < 1% CAS No.: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Edition: 05 SPEEDTOOLS TISSUE Page: 10/13 Date Updated: 23/04/2021 DNA EXTRACTION KIT

13 mL BBE

Chemical: chemicals/mixture < 1% CAS No : -

TSCA Inventory: all listed, <1% Korea Exist.Chem.Inventory: listed

30 mL BBW

Chemical: guanidine hydrochloride CAS No : 50-01-1

California Proposition 65 List: not listed TSCA Inventory: listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-18111 LD50_{orl rat}: 475-907 mg/kg [4h] 3181-7655 µg/m³ LC50ihl rat:

LD50_{drm rbt}: 2000 mg/kg

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

Chemical: 2-propanol CAS No.: 67-63-0

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1230 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis

Australia NICNAS: Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: PAC yes, Japan PDSCL: -

Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA:

Korea Exist.Chem.Inventory: KE-29363 LD50_{orl rat}: 5045 mg/kg LC_Loworl hmn: 3570 mg/kg LC50_{ihl rat}: 16_{4h} g/m³ LD50_{drm rbt}: 12.8 g/kg

TRGS 905 (DE): R_F C

1.8 mL PB

Chemical: CAS No.: 56-81-5 glycerole

TSCA Inventory: listed (1,2,3-Propanetriol) inhalation, skin and/or eye contact **Exposure Routes: Target Organs:** Eyes, skin, respiratory system, kidneys

irritation eyes, skin, respiratory system; headache, nausea, vomiting; kidney injury Symptoms:

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed Korea Exist.Chem.Inventory: KE-29297 LD50_{orl rat}: 12.6 g/kg LD50_{drm rbt}: >18.7 g/kg

TRGS 905 (DE):

1-75 mg Proteinase K (Iyo)

Chemical: proteinase K (origin: tritirachium album) listed (CAS 102925-54-2) CAS No.: 39450-01-6

TSCA Inventory

Japan CSCL/PRTR: not listed Japan ISHL: not listed Korea Exist.Chem.Inventory: not listed

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.



CAS No.: -

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

SPEEDTOOLS TISSUE Edition: 05 Page: 11/13 Date Updated: 23/04/2021 DNA EXTRACTION KIT

20 mL BT1

Chemical: chemicals/mixture < 2%

TSCA Inventory: all listed, <2%

Korea Exist.Chem.Inventory: listed

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

15 mL BB3

CAS No.: 50-01-1 Chemical: guanidine hydrochloride

PNEC (fresh water):
PNEC = Predicted No Effected Concentration

LC50_{leuciscus idus/96h}: 1759 mg/L

LC50_{fish/96h}: [4d] 690-1850; [48h] 1758-2420 mg/L

EC50_{daphnia/48h}: 70.2 mg/L

[72h] 11.8-33.5 mg/L EC10pseudomonas putita/16h Water hazard class (DE): WGK No.: 0788

Storage class (VCI):

Chemical: polyoxyethylene sorbitan monolaurate (Tween® 20) CAS No.: 9005-64-5

Water hazard class (DE):

Storage class (VCI): 10-11

12 mL BB5

Chemical: chemicals/mixture < 1% CAS No .: -

Water hazard class (DE):

Storage class (VCI): 12-13

13 mL BBE

CAS No .: -Chemical: chemicals/mixture < 1%

Water hazard class (DE): Storage class (VCI): 12-13

30 mL BBW

Chemical: guanidine hydrochloride CAS No.: 50-01-1

PNEC (fresh water):
PNEC = Predicted No Effected Concentration

LC50_{leuciscus idus/96h}: 1759 mg/L LC50fish/96h: [4d] 690-1850; [48h] 1758-2420 mg/L

EC50_{daphnia/48h}: 70.2 mg/L

[72h] 11.8-33.5 mg/L EC10_{pseudomonas putita/16h}: Water hazard class (DE): WGK No.: 0788

12 Storage class (VCI):

2-propanol CAS No.: 67-63-0

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 140.9 mg/L

LC50_{fish/96h}: 1400 mg/L EC50_{daphnia/48h}: 13.3 g/L IC50_{scenedesmus} quadricauda/72h: >1000 mg/L EC10_{pseudomonas} putita/16h: Water hazard class (DE): EC5: 1050 mg/L

WGK No.: 0135 Dispersion coefficient(octanol-water): 0.05

Storage class (VCI):

1.8 mL PB Chemical: glycerole CAS No.: 56-81-5

0.885 mg/L

PNEC(fresh water):
PNEC = Predicted No Effected Concentration

LC50_{fish/96h}: >5000_{24h} mg/L $EC50_{daphnia/48h}$: $>10_{24h}$ g/L IC5_{7d} >10 g/L EC5: >10 g/L IC50_{scenedesmus} quadricauda/72h: EC10_{pseudomonas putita/16h}:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Edition: 05 SPEEDTOOLS TISSUE Page: 12/13 Date Updated: 23/04/2021 DNA EXTRACTION KIT

> Water hazard class (DE): 0 Dispersion coefficient(octanol-water): -1.76 Storage class (VCI): 10

1-75 mg Proteinase K (lyo)

proteinase K (origin: tritirachium album) CAS No.: 39450-01-6

Water hazard class (DE): Storage class (VCI):

20 mL BT1

chemicals/mixture < 2% CAS No .: -Chemical:

Water hazard class (DE): Storage class (VCI): 12-13

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

UN 1993 class 3 III, Excepted Quantities (≤30 mL/∑≤1 L) = ADR/ IATA E1

14.3 Class:

14.1 UN number: 1993 14.2 UN proper shipping name: Flammable liquid, n.o.s. (2-propanol mixture)

14.4 Packing group: III

Road transport Classification code: F1

Limited Quantity: 5 L Tunnel restriction code: Ε **Excepted Quantity:** E 1 Special instructions: 640E

Air transport PAX: 355

max. weight PAX: 60 L CAO: max. weight CAO: 220 I 366 Maritime transport

F-E, S-E Storage category:

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Edition: 05 SPEEDTOOLS TISSUE Page: 13/13
Date Updated: 23/04/2021 DNA EXTRACTION KIT

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H336 May cause drowsiness or dizziness.

16.1.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260D Do not breathe vapours.
P261sh Avoid breathing dust/vapours.

P264W Wash with water thoroughly after handling. P280sh Wear protective gloves/eye protection.

P301+312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330 Rinse mouth.

P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

BIOTOOLS B&M LABS S.A. provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

BIOTOOLS B&M LABS S.A. makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly BIOTOOLS B&M LABS S.A. will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS

Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress

TRGS 900, German engineering rules governing limits in air at work, updated 03/2019

SUVA .CH, Limits in air at work 2009, revised on 01.2009

TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

2017-11 Adaption of ECHA Registration dossier